	Hits	Search Text	DBs
1	1908	(sql with quer$4 near7 (statement$1 or instruction$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	1427	l2 and @ad < "20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	0	l3 and (report$5 near8 pattern$5 with object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	l3 and (report$5 with pattern$5 with object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	252	l3 and report$5 and pattern$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	252	l6 and data$1base$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	95	l7 and meta$1data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	24	l8 and drill$1down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	24	l9 and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	24	l10 and parameter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	24	l11 and interface$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	12	l12 and (link$4 with (instruction$1 or statement$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	0	report$1 with (pattern adj object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	58	report$1 with (pattern with object$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	45	l15 and @ad < "20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	2	l16 and meta$1data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	0	l17 and drill$1down	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB